detectortesters

TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

SAFETY DATA SHEET

SDS0065UK

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

THIS SDS IS A REVISION FOR THE PURPOSE OF SUPPORTING EXISTING PRODUCT SOLD AND NOT TO SUPPORT ANY

CONTINUED SALE IN EUROPE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product identifier	
	Product Name	TRUTEST SMOKE DETECTOR SENSITIVITY TESTER.
	Trade Name	AERO 400-XXX (XXX denotes customer variant).
	CAS No.	Mixture.
	EINECS No.	Mixture.
	REACH Registration No.	None assigned.
1.2	Relevant identified uses of the substance or	
	Identified use(s)	Smoke simulation (for detector sensitivity tester).
	Uses advised against	None known.
1.3	Details of the supplier of the Safety Data She	
	Company Identification	Detectortesters (No Climb Products Ltd), Edison House, 163 Dixons Hill
		Road, Welham Green, Hertfordshire. AL9 7JE. United Kingdom
	Telephone	+44 (0) 1707 282760
	Fax	+44 (0) 1707 282777
	E-mail	SDS@detectortesters.com
1.4	Emergency telephone number	
	Company	+44 (0) 1707 282760
SEC	TION 2: HAZARDS IDENTIFICATION	
2.1	Classification of the substance or mixture	
2.1	Classification of the substance or mixture	Aarocal 2: Proscurised container: May burst if beated
2.1	Classification of the substance or mixture Regulation (EC) No. 1272/2008 (CLP)	Aerosol 3; Pressurised container: May burst if heated.
	Regulation (EC) No. 1272/2008 (CLP)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.
2.1 2.2	Regulation (EC) No. 1272/2008 (CLP) Label elements	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP)
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None.
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning.
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated.
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s) Hazard statement(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects.
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s) Hazard statement(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s) Hazard statement(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use.
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s) Hazard statement(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use. P273: Avoid release to the environment.
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s) Hazard statement(s) Precautionary statement(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use. P273: Avoid release to the environment. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C.
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s) Hazard statement(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use. P273: Avoid release to the environment. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C. 18.75 % by mass of the contents are flammable.
2.2	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s) Hazard statement(s) Precautionary statement(s) Additional Information	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use. P273: Avoid release to the environment. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C. 18.75 % by mass of the contents are flammable. Keep out of the reach of children.
	Regulation (EC) No. 1272/2008 (CLP) Label elements Hazard pictogram(s) Signal word(s) Hazard statement(s) Precautionary statement(s)	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) None. Warning. H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use. P273: Avoid release to the environment. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C. 18.75 % by mass of the contents are flammable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
1,1,1,2-tetrafluoroethane	80 - 90	811-97-2	212-377-0	None assigned	GHS04, Press. gas: Liquefied gas: H280
Pentane	1 - 10	109-66-0	203-692-4	None assigned	GHS02, Flam. Liq. 2; H225, GHS07, STOT SE 3; H336, GHS08, Asp. Tox. 1; H304, GHS09, Aquatic Chronic 2; H411, EUH066
Propan-2-ol	1 - 10	67-63-0	200-661-7	01-2119457558-25	GHS02, Flam. Liq. 2; H225, GHS07, Eye Irrit. 2; H319, STOT SE 3; H336

3.2 Additional Information

For full text of H/P statements see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures Inhalation

> Skin Contact Eye Contact Ingestion

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention. Wash with plenty of soap and water. Flush eyes with water for at least 15 minutes while holding eyelids open. Unlikely route of exposure.



detectortesters Lesting technology from No Climb TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

4.2 4.3	Most important sy acute and delayed Indication of any	l		None ant	icipated.					
	attention and spe			Unlikely t	Inlikely to be required but if necessary treat symptomatically.					
SECTI	ON 5: FIRE-FIGH	ITING ME	ASURES							
5.1 5.2 5.3	Pressurised container: May burst if heated. Extinguishing Media Suitable Extinguishing Media Unsuitable Extinguishing Media Special hazards arising from the substance or mixture Advice for fire-fighters			Nor Dec con Fire con ren	Extinguish preferably with dry chemical or alcohol foam. None known. Decomposes in a fire giving off toxic fumes:Hydrofluoric acid, Fluorinated compounds. Heating may cause pressure rise with risk of bursting. Fire fighters should wear complete protective clothing including self- contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.					
SECTI	ON 6: ACCIDEN	TAL RELE	EASE MEASUR	RES						
 The product is an aerosol. It is unlikely to present spil 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions 6.3 Methods and material for containment and clear up 6.4 Reference to other sections 			ind	 Ilage or leakage hazard. Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours. Avoid release to the environment. 						
SECTI	ON 7: HANDLIN	G AND ST	ORAGE		,					
7.1 7.2	Precautions for safe handling Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life Incompatible materials		sourc adeq Obse conta Prote Stable Alkali	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Provide adequate ventilation. Avoid inhalation of high concentrations of vapours. Observe official regulations on storing packagings with pressurised containers. Protect from sunlight. Do not expose to temperatures exceeding 50°C. Stable under normal conditions. Alkali metals, alkaline earth metals, magnesium, powdered metals. 						
7.3	Specific end use(s	-			e simulation (for detector sensit	ivity tester).				
SECTI	ON 8: EXPOSUR		ROLS/PERSON	IAL PRO	DTECTION					
8.1	Control paramete		_							
	Occupational Expo	CAS No.	LTEL (8 hr TW/	A ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note		
	2-tetrafluoroethane	811-97-2	1000		4240		-	WEL		
Pentar		109-66-0	600		1800	-	-	WEL		
8.1.2 8.1.3 8.2 8.2.1	n-2-ol Workplace Exposure L Biological limit va PNECs and DNELs Exposure controls Appropriate engin Personal protection Eye/face protection Skin protection (Har Other Control (Har) Other Cont	lue beering cont on equipme	trols nt	Not e Provie Not n Not n Not n large equip appro	999 stablished. stablished. de adequate ventilation. formally required. formally required. ersonal respiratory protective eq r amounts: In case of insufficien iment. A suitable mask with filte opriate.	t ventilation, we	ar suitable respirato	bry		
8.2.3	Environmental Ex	posure Con	trols		pplicable. I release to the environment.					



TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Information on basic physical and chemical proper	ties
Appearance	Aerosol.
Colour	Colourless.
Odour	Slight hydrocarbon smell.
Odour Threshold	Not applicable.
рН	Not determined.
Melting Point/Freezing Point	Not determined.
Initial boiling point and boiling range	-26.5°C
Flash Point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	5.6 bar @ 25 °C
Vapour Density (Air=1)	3.5
Relative density	Not determined.
Density	1070kg/m³ @ 25 °C
Solubility(ies)	Slightly soluble in: Water.
	Soluble in most organic solvents.
Partition coefficient: n-octanol/water	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Dynamic viscosity	Not determined.
Kinematic Viscosity	Not determined.
Explosive properties	Not explosive.
	Pressurised container: May burst if heated.
Oxidising properties	Not oxidising.
Other information	None.

SECTION 10: STABILITY AND REACTIVITY

9.2

10.1	Reactivity	Stable under normal conditions.
	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	None.
10.4	Conditions to avoid	Heat and direct sunlight.
10.5	Incompatible materials	Alkali metals, alkaline earth metals, magnesium, powdered metals.
10.6	Hazardous Decomposition Product(s)	None.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
11.1.1	Mixtures	
	Acute toxicity	Low acute toxicity. High concentrations: May cause drowsiness and dizziness.
	Irritation	Non-irritant.
	Corrosivity	Not classified.
	Sensitisation	It is not a skin sensitiser.
	Repeated dose toxicity	None anticipated.
	Carcinogenicity	No evidence of carcinogenicity.
	Mutagenicity	There is no evidence of mutagenic potential.
	Toxicity for reproduction	None anticipated.
11.2	Other information	None.
SEC		
SEC	FION 12: ECOLOGICAL INFORMATION	

12.1 Toxicity Aquatic Chronic 3; Harmful to aquatic life with long lasting effects. 12.2 Persistence and degradability No information available. 12.3 **Bioaccumulative potential** No information available. Mobility in soil Slightly soluble in: Water. The product is predicted to have low mobility in soil. 12.4 **Results of PBT and vPvB assessment** 12.5 Not classified as PBT or vPvB. Other adverse effects 12.6 None. **SECTION 13: DISPOSAL CONSIDERATIONS** Waste treatment methods Recycle only completely emptied packaging. Containers must not be punctured 13.1 or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill. 13.2 Additional Information Disposal should be in accordance with local, state or national legislation. Do not allow to enter drains, sewers or watercourses. **SECTION 14: TRANSPORT INFORMATION**

14.1 UN number ADR, IMDG, IATA detectortesters


TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

Not listed.

Not listed.

None known.

Not available.



REACH: ANNEX XIV List of substances subject to authorisation

Community Rolling Action Plan (CoRAP); 15.1.2 National regulations

15.2 Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND	
LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association
CDG	Carriage of Dangerous Goods
Revision: 15	Page: 4/5



TRUTEST SMOKE DETECTOR SENSITIVITY TESTER

Aerosol 3	Aerosol Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment Category 3
Eye Irrit. 2	Serious eye damage/irritation Category 2
Press. Gas	Gases under pressure
Flam. Liq. 2	Flammable Liquid Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3

Hazard Statement(s)

H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Disclaimers

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

Annex to the extended Safety Data Sheet (eSDS)

No information available.