

SOLO Detector Duster

SAFETY DATA SHEET

SDS0077UK

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	SOLO Detector Duster.
Trade Name	SOLO A7-XXX (XXX denotes customer variant).
CAS No.	811-97-2
EINECS No.	212-377-0
REACH Registration No.	None assigned.
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified use(s)	Clearing of dust or other solid contaminants.
Uses advised against	None known.
1.3 Details of the supplier of the Safety Data Sheet	
Company Identification	Detectortesters (No Climb Products Ltd) Edison House 163 Dixons Hill Road Welham Green Hertfordshire. AL9 7JE. United Kingdom
Telephone	+44 (0) 1707 282760
Fax	+44 (0) 1707 282777
E-mail	SDS@detectortesters.com
1.4 Emergency telephone number	
Emergency Phone No.	+44 (0) 1707 282760

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
Regulation (EC) No. 1272/2008 (CLP)	Aerosol 3; Pressurised container: May burst if heated.
2.2 Label elements	
Hazard pictogram(s)	According to Regulation (EC) No. 1272/2008 (CLP) None.
Signal word(s)	Warning.
Hazard statement(s)	H229: Pressurised container: May burst if heated.
Precautionary statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C.
2.3 Other hazards	None.
2.4 Additional Information	None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Substances

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
1,1,1,2-tetrafluoroethane	80 - 100	811-97-2	212-377-0	None assigned	GHS04, Press. Gas: Liquefied gas: H280

3.2 Additional Information

For full text of H/P statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

Wash skin with soap and water.

Eye Contact

Flush eyes with water for at least 15 minutes while holding eyelids open.

Ingestion

Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 Extinguishing Media

Suitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable Extinguishing Media

Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Heating may cause pressure rise with risk of bursting.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Wear protective gloves.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

SOLO Detector Duster

- 6.3 Methods and material for containment and cleaning up** Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty.
- 6.4 Reference to other sections** See Also Section: 8, 13.

7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Provide adequate ventilation.
- 7.2 Conditions for safe storage, including any incompatibilities**
 Storage Temperature Observe official regulations on storing packagings with pressurised containers.
 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C.
 Storage Life Stable under normal conditions.
 Incompatible materials None anticipated.
- 7.3 Specific end use(s)** Clearing of dust or other solid contaminants.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
1,1,1,2-tetrafluoroethane	811-97-2	1000	4240	-	-	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value

Not established.

8.1.3 PNECs and DNELs

Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection

Not normally required.



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely.
Gloves: Nitrile rubber, NBR.



Respiratory protection

No personal respiratory protective equipment normally required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards

Not applicable.

8.2.3 Environmental Exposure Controls

Do not release large quantities into the surface water or into drains.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Colourless.
Odour	Characteristic.
Odour Threshold	Not determined.
pH	Not determined.
Melting Point/Freezing Point	Not determined.
Initial boiling point and boiling range	-26 °C
Flash Point	Not applicable (Aerosol)
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	5.7 bar @ 20 °C
Density	1.22 g/cm ³ @ 20 °C
Vapour density	Not determined.
Relative density	Not determined.
Solubility(ies)	1.93 g/l @ 20 °C
Partition coefficient: n-octanol/water	Not determined.
Ignition temperature	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Dynamic viscosity	Not determined.
Kinematic Viscosity	Not determined.
Explosive properties	Not explosive. Pressurised container: May burst if heated.
Oxidising properties	Not oxidising.

9.2 Other information

Organic solvents - Content	0.0%
----------------------------	------

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Heat and direct sunlight.
10.5 Incompatible materials	None anticipated.
10.6 Hazardous Decomposition Product(s)	No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	Low acute toxicity.
Skin corrosion/irritation	Non-irritant.
Serious eye damage/irritation	Not classified.
Respiratory or skin sensitization	It is not a skin sensitiser.
Germ cell mutagenicity	There is no evidence of mutagenic potential.
Carcinogenicity	No evidence of carcinogenicity.
Reproductive toxicity	None anticipated.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	None anticipated.

11.2 Other information

None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Low toxicity to aquatic organisms. Fish: LC50 (Rainbow trout) (96 hour) = 450mg/l Aquatic invertebrates: EC50 (Daphnia magna) (48 hour) = 980mg/l Algae: EC50 (96 hour) = 142mg/l
12.2 Persistence and degradability	Biodegradable.
12.3 Bioaccumulative potential	The substance has no potential for bioaccumulation.
12.4 Mobility in soil	Slightly soluble in: Water. The substance is predicted to have low mobility in soil.
12.5 Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	None.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill.
13.2 Additional Information	Disposal should be in accordance with local, state or national legislation. Do not allow to enter drains, sewers or watercourses. Waste code (Europe): 20 01 99, 07 01 04, 15 01 04

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number	UN 1950
ADR, IMDG, IATA	
14.2 UN Proper Shipping Name	1950 AEROSOLS
ADR	AEROSOLS
IMDG, IATA	
14.3 Transport hazard class(es)/ Division	
ADR	
Class	2 2A Gases.
Label	2
IMDG	
Class	2 Gases.
Label	2.2
IATA	
Class	2 Gases.
Label	2.2
14.4 Packing Group	
ADR, IMDG, IATA	None.
14.5 Environmental hazards	
Marine Pollutant	No.
14.6 Special precautions for user	Warning: Gases.
Kemler Code	20
IMDG EMS	F-D, S-U
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.


SOLO Detector Duster

14.8 Additional Information

ADR

Limited Quantity (LQ)

1 L




ADR Transport Category
Tunnel Restriction Code

3

Not applicable in Limited Quantities.

IMDG

Limited Quantity (LQ)



IATA

Limited Quantity (LQ)



UN Model Regulation

UN1950, AEROSOLS, 2.2

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use
Candidate List of Substances of Very High Concern for Authorisation Not listed.

REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles Not listed.

REACH: ANNEX XIV list of substances subject to authorisation Not listed.

Community Rolling Action Plan (CoRAP) Not listed.

15.1.2 National regulations

Wassergefährdungsklasse (Germany) None known.

VOC-CH WGK class 1

VOC-EU 0.00%

Danish MAL Code 1220.0g/l

00-1

15.2 Chemical Safety Assessment

Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 10, 11.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
WGK	Wassergefährdungsklasse (Germany)
VOC	Volatile Organic Compounds
MAL Code	Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
ADR	Accord européen relative au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association
Press. Gas	Gases under pressure
Aerosol 3	Aerosol Category 3

Hazard Statement(s)

H229 Pressurised container: May burst if heated.

Disclaimers

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

Annex to the extended Safety Data Sheet (eSDS)

No information available.